

# K7S Vacuum chamber belt machine

## Technical data sheet



### Facts

Usable chamber size	860 x 640 x 250 mm *
External dimensions	2845 x 1068 x 1648 mm *
Welding strip length	2 x 860 mm
Distance between strips	640 mm
Selectable welding heights	25 / 40 / 80 mm
Electrical connection **	380-400V/3/50Hz
Vacuum pump **	305 m <sup>3</sup> /h 7.5 kW 475-562 m <sup>3</sup> /h 9.7 kW
Weight	815 kg
Machine cycle <sup>1</sup>	up to 4 cycles/min
Compressed air (operating pressure)	5 bar / 30 NL/Zyklus / ID9
Welding and detachable technology	Bi-directional: above/below Uni-directional: above
Staged vacuum	standard
Intermediate ventilation	standard
Pre-ventilation (soft ventilation)	standard
Evaporation point sensor (H <sub>2</sub> O sensor)	standard
Automatic lid	standard
External pump	optional
Filling material	optional
Bag residue extraction	optional
Structured conveyor belt	optional

The versatile and space-saving one Cost-effective, versatile, sturdy, fast, easy to operate, space-saving, stable in value and designed overall for hygiene. The K7S is the ideal vacuum packaging machine for versatile industrial production.

This machine offers a high performance level and reliable results, irrespective of whether it is used for the packaging of one product size in continuous operation or for a wide variety of jobs. The K7S is used in the food and the non-food sectors. Products of all types are packed securely and in top quality using this vacuum chamber belt machine.



### Usable product area




\* Width x depth x height

\*\* Voltage and pump variants on request

<sup>1</sup> Depending on product, humidity, temperature,  
final pressure and pump combination

Subject to technical changes

## K7S Vacuum chamber belt machine:



## Options & accessories

1. Structured conveyor belt
2. Automatic bag residue extraction (AG9)
3. Filling material for reducing the vacuuming duration
4. Discharge rollers
5. Conveyor belt (transfer belt)
6. Intermediate strip for welding height 80 mm
7. Deflection rollers
8. Remote access
9. Extension to packaging line

